

# MAASAI MARA UNIVERSITY

# REGULAR UNIVERSITY EXAMINATIONS 2018/2019 ACADEMIC YEAR SECOND YEAR SECOND SEMESTER

SCHOOL OF SCIENCE
UNIVERSITY EXAMINATIONS FOR THE
DEGREE OF BACHELOR OF SCIENCE AND
BACHELOR OF EDUCATION SCIENCE

**COURSE CODE: PHY 2213** 

**COURSE TITLE: ELECTRICAL CIRCUITS** 

DATE: 16<sup>TH</sup> APRIL, 2019 TIME: \_\_0830-1030 HRS

#### **INSTRUCTIONS**

Answer Question ONE and any other TWO.

- Use of sketch diagrams where necessary and brief illustrations are encouraged.
- Read the instructions on the answer booklet keenly and adhere to them.


This paper consists of \_\_4\_ printed pages.

#### **QUESTION ONE:**

[30]

- a) State three advantages of connecting loads in parallel to series in electrical circuits. [3]
- b) Explain the term 'network' as used in electrical circuits. [2]
- c) Find the instantaneous circuit current if a voltage  $v = 100\sin(1000t)$  V is applied to:
  - (i) a pure resistive circuit of  $R=50 \Omega$  [2]
  - (ii) a pure inductive circuit of L=0.02 H [3]
  - (iii) a pure capacitive circuit of C=10  $\mu$ F [3]
- d) By Superposition Principle find P<sub>R</sub> in figure 1. [3]

Figure 1




- e) Explain the difference between active and passive power. [4]
- f) Find the current phasor if a 60 Hz 220∠30° V ac voltage is applied to
  - (i) a pure resistive circuit of R=10  $\Omega$  [2]
  - (ii) a pure inductive circuit of L=0.2 H [2]
  - (iii) a pure capacitive circuit of C=10  $\mu$ F [2]
- g) State the following theorems:
  - (i) Norton's theorem states [2]
  - (ii) Thevenin's theorem [2]

#### **QUESTION TWO:**

[20]

a) Show that for the circuit shown on fig.2 , Current lags voltage by  $90^{\circ}$   $\ \ [4]$ 

## Figure 2




b) Refer to the circuit of Fig 3, find:

(i) the total impedance, $Z_T$	[7]
(ii) the supply current. I <sub>T</sub>	[3]

(iii) the branch currents,  $I_1$ ,  $I_2$  and  $I_3$ . [6]

#### Figure 3



## **QUESTION THREE:**

## [20 marks]

a) Explain the following


•9			
(i) Capacitive reactance		[2]	
(ii)	Inductive reactance	[2]	
(iii)	Impedance		[2]
(iv)	Phasor	[2]	
	Page 4 of 6		

- **b)** An rms voltage of 10.0 V with a frequency of 1.00 kHz is applied to a 0.395-mF capacitor.
  - (i) What is the rms current in this circuit? [3]
  - (ii) By what factor does the current change if the frequency of the voltage is doubled?

[1]

- (iii) Calculate the current for a frequency of 2.00 kHz. [1]
- c) For the circuit in fig.4
  - (i) Compute  $P_T$  and  $Q_T$  for the following circuit. [5]
  - (ii) Reduce the circuit to its simplest form [2]

Figure 4



#### **QUESTION FOUR: [20 marks]**


- a) Explain the steps involved in applying the Mesh Analysis in solving electric circuits[5]
- b) Use Mesh Analysis in fig 5 to find:
  - (i) The current i through resistor R.

[7]

(ii) Power through resistor R.

[3]

Figure 5



**d)** Explain the procedure for the application of the Millman's Theorem [5]

# //End//